



Alt. I





DATA

Loa	10,28 m
Lwl	8,20 m
Beam	3,33 m
Displac.	5,9 ton
Ballast (lead)	2,5 ton
Draft	1,60 m
Watertank	260 liter
Dieseltank	100 liter
Mainsail (standard)	22,5 m ²
Stormjib	14,0 m ²
Jib (standard)	23,0 m ²
Genoa II	32,0 m ²
Genoa I	38,0 m ²
Spinnaker	82,0 m ²
Mastheight (masthead)	12,5 m
Mastheight waterline	14,25 m
Motor: Volvo Penta 2003	29 hp (20,5 kW)



Alt. II




THIS BOAT IS OF A TYPE
APPROVED IN ACCORDANCE WITH
THE NORDIC RULES BY




THE NATIONAL SWEDISH ADMINISTRATION
OF SHIPPING AND NAVIGATION

MAX ENGINE POWER kW
MAX LOAD INCL PERSONS KG
MAX NUMBER OF PERSONS
TYPE CERTIFICATE NO S



powered by
VOLVO PENTA



DESIGN: **JOHN H.V. LINDBLOM** N.A.



VINDÖMARINAB

S 440 90 Henån, Sweden.

Tel. 0304-39290. Telex 21233 vindoe S.